UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIODNER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/768,196	01/22/2001	Ronald J. Lebel	047711-0221	1919
7590 09/03/2008 TED R. RITTMASTER FOLEY & LARDNER SUITE 3500 2029 CENTURY PARK EAST LOS ANGELES, CA 90067-3021			EXAMINER	
			DESANTO, MATTHEW F	
			ART UNIT	PAPER NUMBER
			3763	
			MAIL DATE	DELIVERY MODE
			09/03/2008	PAPER

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



## UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO./ **FILING DATE** FIRST NAMED INVENTOR / ATTORNEY DOCKET NO. CONTROL NO. PATENT IN REEXAMINATION 09768196 1/22/01 LEBEL ET AL.

047711-0221

TED R. RITTMASTER **FOLEY & LARDNER SUITE 3500** 2029 CENTURY PARK EAST LOS ANGELES, CA 90067-3021

**EXAMINER** MATTHEW F. DESANTO

**ART UNIT PAPER** 

3763 20080902

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner for Patents** 

The reply brief filed 6/13/08 has been noted.

The examiner has read through the reply brief and has a different interpretation of the prior art and the claim language. With regards to Moon et al. USPN 6,211,858, the examiner interprets the meters as small applications as disclosed by Moon et al. in column 2, lines 30-50, which could be programmable options or any small application that are used in microprocessors, since Moon et al. also discloses using windows or similar computer programming software (column 1). Therefore the examiner maintains his rejection based on the interpretations of the claims and the prior art as previously stated in the last office action and the examiner answer.

> /Matthew F DeSanto/ Primary Examiner, Art Unit 3763